



Weeble File Manager



- ◆ file_uploads=on
- ftp server
 - ◆ CHMOD support by the ftp server is required for the changing of permissions to work.

Unpacking the files

Extract the weblefm tar archive to a folder that is accessible to your web server. For example:

```
cd /usr/local/www/data/  
tar -zxvf /path/to/weblefm-1.1.tar.gz
```

This will create a folder called "weblefm" where the files are stored, you may rename this if you choosupport j 0 –10.

Un48cal84

Layout Descriptions

Directory

Clicking any of the directory links will change to that directory. Clicking the radio button to the left will select

Login

Once your username and password are filled in, and the server is selected, click Login to log into the server.

Remember Me

Check this box to have WeebleFM save your username and password in a browser cookie. The next time you return to the screen, our username and password are already filled in.

- ◆ **Save & Edit** will save your changes and return to editing the current file.
- ◆ **Preview** will load your current changes into a separate preview frame. Changes will not be saved until one of the two save buttons are clicked.
- ◆ **Reset** will discard your changes but stay in the editor.

Please note: The editor will be unable to save a file once the session has expired. If you have problems with

Miscellaneous

Miscellaneous preferences are any settings that don't fit in the other two categories. Currently they consist of:

Set the diggi wantSet bels or aywy ouin fit.thm extension(gting6 11 Tf 0 -TT
Set the diggi wantSet bels or aywy ouin fit.thm extension(gting6 11 Tf 0 -TT

\$editor_prefs

Example:

```
$editor_prefs = array (
```


```
"rows" => 49()Tj 0 -10.8 Td(colws" =>849()Tj 0 -10.8 Td(max_sizes" =>5.0049()Tj 0 -10.8 Td(_preview_sizes" =>"25%"9()Tj 0
```

Example \$ftp_accesfs =TRUE;s

Example:tden8 pzp_acce."9()Tj5/49 11 -T2.8698-18.929 .4 IPTd);s

Note: The key should be enclosed in single (') not double (") quotes.

\$log



Copy the Default.thm to a new file (e.g. *MyTheme.thm*)
